




Maximum Metals Ltd.

Carbon Steel Angles



Imperial Size	Lbs/ft	Metric Size	Kg/m
L 1/2 x 1/2 x 1/8	0.380	L 13 x 13 x 3.2	0.566
L 3/4 x 3/4 x 1/8	0.590	L 19 x 19 x 3.2	0.880
L 1 x 1 x 1/8	0.800	L 25 x 25 x 3.2	1.190
L 1 x 1 x 3/16	1.160	L 25 x 25 x 4.8	1.730
L 1 x 1 x 1/4	1.490	L 25 x 25 x 6.4	2.220
L 1 1/4 x 1 1/4 x 1/4	1.920	L 32 x 32 x 6.4	2.860
L 1 1/2 x 1 1/2 x 1/8	1.230	L 38 x 28 x 3.2	1.830
L 1 1/2 x 1 1/2 x 3/16	1.800	L 38 x 28 x 4.8	1.830
L 1 1/2 x 1 1/2 x 1/4	2.340	L 38 x 38 x 6.4	2.680
L 1 3/4 x 1 3/4 x 1/4	2.770	L 44 x 44 x 6.4	4.120
L 2 x 2 x 1/8	1.650	L 51 x 51 x 3.2	2.460
L 2 x 2 x 3/16	2.440	L 51 x 51 x 3.2	2.460
L 2 x 2 x 1/4	3.190	L 51 x 51 x 4.8	3.630
L 2 1/2 x 2 1/2 x 3/16	3.070	L 64 x 64 x 4.8	5.570
L 2 1/2 x 2 1/2 x 1/4	4.100	L 64 x 64 x 6.4	6.100
L 3 x 2 x 3/16	3.070	L 76 x 51 x 4.8	4.570
L 3 x 3 x 3/16	3.710	L 76 x 76 x 4.8	5.520
L 3 x 3 x 1/4	4.900	L 76 x 76 x 6.4	7.290

Disclaimer: All angles sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.


Imperial Size	Lbs/ft	Metric Size	Kg/m
L 3 x 3 x 3/8	7.200	L 76 x 76 x 9.5	10.700
L 3 x 3 x 1/2	9.400	L 76 x 76 x 13	14.000
L 4 x 4 x 1/4	6.600	L 102 x 102 x 6.4	9.820
L 4 x 4 x 3/8	9.800	L 102 x 102 x 9.5	14.600
L 4 x 4 x 1/2	12.800	L 102 x 102 x 13	19.000

Disclaimer: All angles sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.

Channels




Imperial Size	Depth (d)	Flange Width (b)	Flange Thick (t)	Web Thick (w)	Metric Size
C 3 x 4.1	3	1.410	0.273	0.170	C 75 x 6
C 4 x 5.4	4	1.580	2.960	0.184	C 100 x 8
C 6 x 8.2	6	1.920	0.343	0.200	C 150 x 12
C 8 x 11.5	8	2.260	0.390	0.220	C 200 x 17

Disclaimer: All channels sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Hollow Structural Sections (Square)




Imperial Size (X x X x t)	Lbs/ft (w)	Area (sq.inches)	Radius of Gyration (ins)	Metric Size (X x X x t)
1 x 1 x 1/8	1.35	0.398	0.346	24.4 x 25.4 x 3.18
1 1/4 x 1 1/4 x 1/8	1.78	0.524	0.449	31.8 x 31.8 x 3.18
1 1/2 x 1 1/2 x 1/8	2.2	0.648	0.551	38.1 x 38.1 x 3.18
2 x 2 x 1/8	3.06	0.899	0.756	50.8 x 50.8 x 3.18
2 x 2 x 3/16	4.33	1.27	0.724	50.8 x 50.8 x 4.78
2 x 2 x 1/4	5.41	1.60	0.693	50.8 x 50.8 x 6.35
2 1/2 x 2 1/2 x 1/8	3.91	1.15	0.961	63.5 x 63.5 x 3.18
3 x 3 x 1/8	4.76	1.40	1.17	76.2 x 76.2 x 3.18
3 x 3 x 3/16	6.89	2.03	1.13	76.2 x 76.2 x 4.78
3 x 3 x 1/4	8.81	2.59	1.10	76.2 x 76.2 x 6.36
4 x 4 x 1/4	12.21	3.60	1.51	101.6 x 101.6 x 6.35
5 x 5 x 1/4	15.62	4.59	1.92	127.0 x 127.0 x 6.35
6 x 6 x 1/4	19.02	5.60	2.33	152.4 x 152.4 x 6.35

Disclaimer: All Hollow Structural Sections sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Hollow Structural Sections (Rectangular)




Imperial Size (X x Y x t)	Lbs/ft (w)	Area (sq.inches)	Radius of Gyration (ins)		Metric Size (X x Y x t)
3 x 1 1/2 x 1/8	3.48	1.02	1.05	0.606	76.2 x 38.1 x 3.18
3 x 2 x 1/8	3.91	1.15	1.10	0.800	76.2 50.8 x 3.18
4 x 2 x 1/8	4.76	1.40	1.42	0.827	101.6 x 50.8 x 3.18
6 x 2 x 1/4	12.21	3.59	1.96	0.802	152.4 x 50.8 x 3.18
6 x 3 x 1/4	13.91	4.09	2.09	1.20	152.4 x 76.2 x 6.35
6 x 4 x 3/16	12.00	3.52	2.22	1.63	152.4 x 101.6 x 4.78
6 x 4 x 1/4	15.62	4.59	2.19	1.60	152.4 x 101.6 x 6.35

Disclaimer: All Hollow Structural Sections sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.

Carbon Steel Flat bars



Imperial Size (X x Y)	Lbs/ft (w)	Metric Size (X x Y)	Kg/m (w)
FL 1/8 x 1/2	0.213	FL 3 x 13	0.317
FL 1/8 x 3/4	0.319	FL 3 x 19	0.475
FL 1/8 x 1	0.425	FL 3 x 25	0.632
FL 1/8 x 1 1/4	0.531	FL 3 x 32	0.79
FL 1/8 x 1 1/2	0.638	FL 3 x 38	0.946
FL 1/8 x 2	0.85	FL 3 x 51	1.26
FL 1/8 x 2 1/2	1.06	FL 3 x 64	1.58
FL 1/8 x 3	1.28	FL 3 x 76	1.90
FL 1/8 x 4	1.70	FL 3 x 102	2.53
FL 1/8 x 6	2.55	FL 3 x 152	3.79
FL 1/8 x 8	3.40	FL 3 x 204	5.06
FL 3/16 x 1/2	0.319	FL 5 x 13	0.475
FL 3/16 x 3/4	0.478	FL 5 x 19	0.711
FL 3/16 x 1	0.638	FL 5 x 25	0.949
FL 3/16 x 1 1/4	0.797	FL 5 x 32	1.19

Disclaimer: All Flat Bars sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.

Imperial Size (X x Y)	Lbs/ft (w)	Metric Size (X x Y)	Kg/m (w)
FL 3/16 x 1 1/2	0.956	FL 5 x 38	1.42
FL 3/16 x 2	1.28	FL 5 x 51	1.90
FL 3/16 x 2 1/2	1.59	FL 5 x 64	2.37
FL 3/16 x 3	1.91	FL 5 x 76	2.84
FL 3/16 x 4	2.55	FL 5 x 102	3.79
FL 3/16 x 6	3.83	FL 5 x 152	5.70
FL 3/16 x 8	5.10	FL 5 x 203	7.59
FL 1/4 x 3/4	0.638	FL 6 x 19	0.949
FL 1/4 x 1	0.850	FL 6 x 25	1.26
FL 1/4 x 1 1/4	1.06	FL 6 x 32	1.58
FL 1/4 x 1 1/2	1.28	FL 6 x 38	1.90
FL 1/4 x 2	1.70	FL 6 x 51	2.53
FL 1/4 x 2 1/2	2.13	FL 6 x 64	3.17
FL 1/4 x 3	2.55	FL 6 x 76	3.79
FL 1/4 x 3 1/2	2.98	FL 6 x 89	4.43
FL 1/4 x 4	3.40	FL 6 x 102	5.06
FL 1/4 x 6	5.10	FL 6 x 152	7.59
FL 1/4 x 8	6.80	FL 6 x 203	10.1
FL 1/4 x 10	8.50	FL 6 x 254	12.6
FL 1/4 x 12	10.2	FL 6 x 305	15.2
FL 5/16 x 1 1/2	1.59	FL 8 x 38	2.37
FL 5/16 x 2	2.13	FL 8 x 51	3.17
FL 5/16 x 3	3.19	FL 8 x 76	4.75
FL 5/16 x 4	4.25	FL 8 x 102	6.32
FL 5/16 x 6	6.38	FL 8 x 152	9.49
FL 3/8 x 1	1.28	FL 10 x 25	1.90
FL 3/8 x 1 1/4	1.59	FL 10 x 32	2.37
FL 3/8 x 1 1/2	1.91	FL 10 x 38	2.94
FL 3/8 x 2	2.55	FL 10 x 51	3.79
FL 3/8 x 2 1/2	3.19	FL 10 x 64	4.75

Disclaimer: All Flat Bars sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.


Imperial Size (X x Y)	Lbs/ft (w)	Metric Size (X x Y)	Kg/m (w)
FL 3/8 x 3	3.83	FL 10 x 76	5.70
FL 3/8 x 3 1/2	4.46	FL 10 x 89	6.64
FL 3/8 x 4	5.10	FL 10 x 102	7.59
FL 3/8 x 6	7.65	FL 10 x 152	11.4
FL 3/8 x 8	10.2	FL 10 x 203	15.2
FL 3/8 x 10	12.8	FL 10 x 254	19.0
FL 3/8 x 12	15.3	FL 10 x 305	22.8
FL 1/2 x 1	1.70	FL 13 x 25	2.63
FL 1/2 x 1 1/4	2.13	FL 13 x 32	3.17
FL 1/2 x 1 1/2	2.55	FL 13 x 38	3.79
FL 1/2 x 2	3.40	FL 13 x 51	5.06
FL 1/2 x 2 1/2	4.25	FL 13 x 64	6.32
FL 1/2 x 3	5.10	FL 13 x 76	7.59
FL 1/2 x 3 1/2	5.95	FL 13 x 89	8.85
FL 1/2 x 4	6.80	FL 13 x 102	10.1
FL 1/2 x 6	10.2	FL 13 x 152	15.2
FL 1/2 x 8	13.6	FL 13 x 203	20.2
FL 1/2 x 10	17.0	FL 13 x 254	25.3
FL 1/2 x 12	20.4	FL 13 x 305	30.4
FL 3/4 x 1 1/2	3.83	FL 19 x 38	5.70
FL 3/4 x 2	5.10	FL 19 x 51	7.59
FL 3/4 x 2 1/2	6.38	FL 19 x 64	9.49
FL 3/4 x 3	7.65	FL 19 x 76	11.4
FL 3/4 x 3 1/2	8.93	FL 19 x 89	13.3
FL 3/4 x 4	10.2	FL 19 x 102	15.2
FL 3/4 x 6	15.3	FL 19 x 152	22.8
FL 3/4 x 8	20.4	FL 19 x 203	30.4
FL 3/4 x 10	25.5	FL 19 x 254	37.9
FL 3/4 x 12	30.6	FL 19 x 305	45.5

Disclaimer: All Flat Bars sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.

Cold Finished Round bars




Imperial Size (d)	Lbs/ft (w)	Imperial Size (d)	Lbs/ft (w)
1/4 dia	0.167	1 dia	2.67
3/8 dia	0.376	1 1/8 dia	3.38
1/2 dia	0.668	1 1/4 dia	4.17
5/8 dia	1.04	1 3/8 dia	5.05
3/4 dia	1.50	1 1/2 dia	6.01
7/8 dia	2.04	2 dia	10.68

Disclaimer: All Round Bars sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.

Cold Finished Square bars




Imperial Size (x)	Lbs/ft (w)	Imperial Size (x)	Lbs/ft (w)
1/4	0.210	3/4	1.91
3/8	0.480	7/8	2.60
1/2	0.850	1	3.40
5/8	1.33		

Disclaimer: All Square Bars sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Wide Flange Shapes




Imperial Size	Depth (d)	FLANGE		WEB	Metric Size
		Width (b)	Thickness (t)	Thickness (w)	
W 6 x 15	5.99	5.99	0.26	0.23	W 150 x 22

Disclaimer: All Beams sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.

Standard I-Beams




Imperial Size	Depth (d)	FLANGE		WEB	Metric Size
		Width (b)	Thickness (t)	Thickness (w)	
S 3 x 7.5	3.00	2.51	0.260	0.349	S 75 x 11
S 4 x 7.7	4.00	2.66	0.293	0.193	S 100 x 11

Disclaimer: All Beams sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Hot Rolled Carbon Steel Plates




Fractional Thickness	Decimal Thickness Equivalent	Theoretical Weight Lbs Per Square Foot
14GA	0.0747	3.13
10GA	0.125	5.11
3/16"	0.1875	7.66
1/4"	0.250	10.21
5/16"	0.3125	12.76
3/8"	0.375	15.31
1/2"	0.500	20.42
5/8"	0.625	25.52
3/4"	0.750	30.63
7/8"	0.875	35.73
1"	1.00	40.84

Disclaimer: Table above is for reference only. Plate weights are computed on the basis of 40.84 lbs/sqft per inch thickness. All sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.

Hot Rolled Carbon Steel Checkered Plates




Gauge	Thickness Equivalent	Lbs. Per Square Foot
1/8"	0.125	6.15
3/16"	0.1875	8.70
1/4"	0.250	10.6

Disclaimer: Table above is for reference only. Weights listed are nominal weights per square foot. All sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.

Expanded Metal Sheets



Style (use for ordering)	Approx. Wt. Per Sheet	Centre to Centre of Bridges		Size of Openings		Strand		% of Open Area
		A SWD	B LWD	C SWD	O LWD	E Thick	F Width	
3/4-9	58	0.932	2.000	0.688	1.500	0.135	0.149	65-70


Stock size for all above is 4' SWD x 8' LWD. *8' SWD x 4' LWD

Disclaimer: All sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.

Serrated Bar Grating & Serrated Stair Treads



SERRATED BAR GRATING		
Type	Bearing Bars In	Weight Lbs/sq ft
19-4 (Standard)	1 1/4 x 3/16	8.89

Finish: Factory Dip Black

SERRATED STAIR TREADS	
Length ft	Width In
3	9 3/4

Finish: Factory Dip Black, Checkered Plate Nosings

Disclaimer: All sizes listed are continually stocked items. For sizes not listed, please call for availability and/or delivery schedule.



Maximum Metals Ltd.

Box 30048, Edson, AB T7E 1Y2
Phone: +1 (780) 725 9042, Fax: +1 (780) 628 0545
Email: Inquiries@MaximumMetals.ca
Web: MaximumMetals.ca